

Wyse Viance™

Desktop Appliance for Citrix XenDesktop

Fact sheet

WYSE
| | | |

The Wyse Viance Desktop appliance is specifically designed for the Citrix XenDesktop infrastructure



Maximum User Experience. Minimum Administration.

Specifically created for Citrix XenDesktop and with knowledge workers in mind, the all-new Wyse Viance high performance desktop appliances are designed to both maximize the user experience and minimize administration across a virtualized infrastructure.

Ready to login in seconds, Wyse Viance immediately connects to the Citrix XenDesktop server, and is the only desktop appliance that can deliver rich multimedia as well as full USB peripheral support in a XenDesktop session. This is made possible through the built-in Wyse TCX™ virtualization software.

In summary, Wyse Viance desktop appliance users gain simple, fast access to their virtualized desktops, their applications of choice and documents without compromising data security or performance.

High performance virtual desktops.

With a simple automatic set up, fast deployment, minimal user training and optional auto-upgrade, Wyse Viance desktop appliances minimize initial day-to-day administration and ongoing desktop support.

Wyse Viance desktop appliances are diskless, fan-less, and extremely green – drawing just 13.2 watts of power – giving a far smaller carbon footprint than a typical business desktop PC. Their compact form-factor includes a wide array of USB, Ethernet and display connectivity.

All Wyse Viance desktop appliances come with Citrix Ready Plus Designation.

At a glance:

User Experience

- Maximizes the benefits of Citrix XenDesktop by always being seconds away from direct user access to virtual desktops
- Fan-less, convection cooled and silent in operation
- Runs smooth multimedia and audio with built in support for Wyse TCX™ Multimedia
- Full USB virtualization support (including real-time devices such as webcams)

Secure Access

- No hard drive means no data is lost if the unit is lost or stolen
- Easily install certificates for secure logon

Connectivity

- 3 USB ports
- Fast LAN access
- Connects to VGA & DVI displays

Management

- Simple central configuration without the need for management software
- Automatic set-up, fast deployment, minimal user training
- Auto-upgrade facility
- Desktop, wall or back-of-monitor mounting
- Wyse Device Manager support for advanced centralized management options including remote monitoring, asset tracking and reporting

Wyse Viance™ Desktop Appliance for Citrix XenDesktop

Hardware Specifications

Processor	Via C7-Eden
I/O peripheral support	One DVI-I Port One DVI-I Port to VGA (DB-15) Adapter Enhanced USB keyboard with PS/2 mouse port and Windows keys PS/2 mouse included One serial port, One parallel port Three USB 2.0 ports (1 on front, 2 on back)
Networking	10/100 Base-T Fast Ethernet twisted pair (RJ-45)
Display	VESA monitor support with Display Data Control (DDC) for automatic setting of resolution and refresh rate Single Monitor at 24-bit/16.7M colors: up to 1600x1200@85Hz
Audio	Output: 1/8-inch mini, full 16-bit stereo, 48KHz sample rate Input: 1/8-inch, 8-bit mini microphone
Physical characteristics	Height: 7.9" (201mm) Width: 1.8" (46mm) Depth: 7.1" (180mm) Shipping Weight: 8 lbs. (3.6kg)
Mountings	Vertical foot (optional horizontal feet) Optional VESA mounting bracket
Power	Worldwide auto-sensing 100-240 VAC, 50/60 Hz Average power usage with device connected to 1 keyboard with 1 PS/2 mouse and 1 monitor: 13.2 Watts/hour
Temperature Range	Horizontal position: 50° to 95° F (10° to 35° C) Vertical position: 50° to 104° F (10° to 40° C)
Security	Built-in Kensington security slot (cable sold separately)
Safety Certifications	German EKI-ITB 2000, ISO 9241-3/-8 cULus 60950, TÜV-GS, EN 60950 FCC Class B, CE, VCCI, C-Tick WEEE, RoHS Compliant
Warranty	Three-year limited warranty



Wyse Technology Inc.
3471 North First Street
San Jose, CA 95134-1801

Visit our website at:
<http://www.wyse.com>

Or send email to:
sales@wyse.com

Wyse Sales
800 GET WYSE
(800 438 9973)

**Wyse Customer
Service Center:**
800 800 WYSE
(800 800 9973)

WYSE
| | | | |

Wyse Viance™ Desktop Appliance for Citrix XenDesktop



Wyse Technology Inc.
3471 North First Street
San Jose, CA 95134-1801

Visit our website at:
<http://www.wyse.com>
Or send email to:
sales@wyse.com

Wyse Sales
800 GET WYSE
(800 438 9973)

**Wyse Customer
Service Center:**
800 800 WYSE
(800 800 9973)

©2009 The Wyse logo and Wyse are trademarks of Wyse Technology Inc. Other product names mentioned herein are for identification purposes only and may be trademarks and/or registered trademarks of their respective companies. Specifications subject to change without notice. Some features require support by server operating system and protocol. 05/09

WYSE
| | | | |